## **Searchpoint Optima Plus**

## Honeywell





Protect people and processes, achieve maximum uptime and cost efficiencies with the industry's most reliable, advanced point infrared gas detector -now with HART<sup>®</sup> digital communication

## Searchpoint Optima Plus



#### Why Infrared?

- Failsafe operation
- Fast speed of response
- Reduced routine maintenance Immune to catalytic poisons
- Infinute to catalytic µ
  Long operating life
- Works in inert atmospheres

## Why Searchpoint Optima Plus is the right choice

- Experience gained from over 100,000 units installed worldwide
- Improved reliability
- Optional HART® over 4-20mA output
- Can detect a wide range of hydrocarbon gases including solvents
- · Increased reliability with no moving parts
- Increased stability from self compensating optics
- Immune to long term component drift
- Remote functional gas test facility
- Certified for North American and European Hazardous areas
- Increased false alarm rejection
- Increased uptime with contaminated optics warning
- Dynamic Heating Control ensures condensation free optics
- No undetected failures
- · Improved diagnostics
- Integral event logging
- Reduced power consumption
- Certified to many hazardous area classification schemes including: UL, CSA, ATEX, IECEx and more

# Factory calibrated for life and does not require routine calibration.



## Take advantage of HART communication added to the proven performance of the market-leading hydrocarbon point infrared gas detector

With over 40 years experience in the design, manufacture, installation and maintenance of point infrared gas detection, Honeywell Analytics currently has a worldwide installed base of over 100,000 infrared point hydrocarbon gas detectors in a wide spectrum of applications from light industrial to the most demanding of offshore environments.

Searchpoint Optima Plus is an infrared point Hydrocarbon gas detector certified for use in potentially explosive atmospheres. The unit's infrared detection principle offers the fastest speed of response and fail-to-safe operation, ensuring that your plant is compliant, your personnel are protected and your production process can deliver maximum uptime. Reduced routine maintenance, when compared with conventional electro-catalytic based gas detectors, provides low ongoing cost of ownership. The development of advanced internal fault diagnostics and false alarm rejection algorithms ensures that the Searchpoint Optima Plus delivers the highest level of operational integrity. Typical applications include environments that may suffer from the presence of catalytic bead poisons or inhibitors, or where there are harsh environmental conditions forcing increased time between routine maintenance:

- Offshore oil and gas platforms
- Floating production storage and offloading (FPSO) vessels
- Tankers
- Onshore oil and gas terminals
- Refineries
- LNG/LPG bottling plants
- Gas compressor/metering stations
- Gas turbine power plants
- Solvent printing and coating plants

Over 100 gas and vapor calibrations are available. For a list of detectable gases and vapors, please contact our Customer Support team or your local distributor.



#### HART: Reduce your operational costs and gain enhanced device visibility

Searchpoint Optima Plus is available with HART® over 4-20mA output. This communication aspect allows Searchpoint Optima Plus to deliver a wide range of added value benefits.

#### What is HART®?

HART<sup>®</sup> (Highway Addressable Remote Transducer) is a widely used digital communications protocol, which allows users to access live data, status indications and diagnostic information from intelligent field devices. It works by superimposing a digital signal on the existing analog signal.

A key benefit of HART<sup>®</sup> is the fact no additional field cabling is required, because HART<sup>®</sup> uses the device's 4-20 mA signal cable.

HART<sup>®</sup> can help to reduce costs in a number of ways. For example, it eliminates the need for proprietary handheld devices; a field engineer can use a single HART<sup>®</sup> handheld device to access any HART<sup>®</sup> enabled equipment on site. The HART<sup>®</sup> signal can be interrogated from anywhere in the current loop, and this users access diagnostic information without going into the field. This means that if maintenance is required, the scope of work is known before the engineer goes to the device, potentially helping to reduce ongoing maintenance costs.

#### **Benefits of using HART®**

- Access full information from Searchpoint Optima Plus, from anywhere in the current loop
- No associated infrastructural costs; additional communication is achieved without the need for extra cabling
- Eliminate the need for proprietary handheld devices
- Save on maintenance costs by enabling proactive maintenance "know before you go"

## Failsafe Hydrocarbon Gas Detection





#### 1. Optics Block

The 4-channel (dual compensated) optics-block is the heart of the Searchpoint OPTIMA PLUS. It is specifically designed to compensate for changes in the external environment similar to 2-channel designs, but also compensates for long term component drift such as infrared sources and detectors. This combined with the de-focused beam provides the Searchpoint OPTIMA PLUS with the most stable optics design possible.

#### 2. Microprocessor

The microprocessor controls the operation of the Searchpoint Optima Plus. The signal processing and algorithms provide a new dimension in false alarm rejection delivering the highest level of operational integrity.

**3. Heated Optics Plus Dynamic Heating Control** Heated optic components, monitored via smart electronics, eliminate condensation build up with power saving features.

#### 4. Remote Gassing Cell

Permanent fitting of this optional gassing cell within the optical path allows the remote injection of functional test gas to validate the performance of a Searchpoint OPTIMA PLUS.

#### **Remote Gas Sampling Systems**

For monitoring remote or inaccessible locations Searchpoint OPTIMA PLUS can be fitted with a flow housing and engineered into a gas sampling system. Single-point and multi-point systems are available for both hazardous and non-hazardous areas.











#### Sunshade / Deluge Protection (Part #2108D0275)

This multi-purpose accessory supplied as standard shields Searchpoint OPTIMA PLUS from the extremes of operational environments ensuring reliable operation.

#### Storm Baffle (Part #2108B0280)

This optional baffle reduces wind chill, salt and dust build-up in exposed applications subjected to high wind speeds e.g. Offshore HVAC intakes and FPSO turrets etc.



This accessory supplied as standard, offers the best compromise between water/dust ingress and speed of response.

#### Dust Barrier (Part #2108B0259)

This optional barrier fitted inside the standard weather protection provides additional protection against the ingress of dust and contamination entering the optical path.

#### Gassing Cap (Part #2108D0258)

The gassing cap enables confidence checking of the Searchpoint OPTIMA PLUS. It provides a close fit onto the standard weather protection and can be installed without the use of any special tools.

## Accessories



#### **Termination / Mounting**



#### XNX<sup>™</sup> Universal Transmitter

The XNX offers a truly universal gas sensing and communications platform that expands communications functionality while reducing installation and cabling costs associated with a gas detection system. The XNX communications module includes standard HART, with optional Modbus, Fieldbus or three relays (two alarm, one fault). XNX enables multi-drop installations of the Optima, instead of the usual 'home run' required for each detector; for example, a single communications cable can be run between up to 32 detectors on a Modbus protocol. The XNX supports electrochemical, catalytic bead and infrared gas sensing devices.



#### **Duct Mounting Kit**

This mounting plate arrangement enables installation of Searchpoint OPTIMA PLUS with a duct/ventilation system. It enables functional gas testing without removing the Searchpoint OPTIMA PLUS from the ducting system.

#### **Field Interrogation**



#### Multi Purpose Hand Held Interrogator (HHI)

This versatile commissioning /maintenance tool is certified for hazardous areas and used to reconfigure Searchpoint OPTIMA PLUS for different gases and fault diagnostics. The same interrogator can be used with the original Searchpoint OPTIMA and Searchline Excel (open path gas detector) reducing operator training.



#### DX 100(I)

This hazardous area certified enclosure is used to terminate Searchpoint Optima Plus field cabling and provide an interface for the Hand Held Interrogator (SHC-1) via an intrinsically safe connection socket. This provides in-situ one-man maintenance without the need for a hot work permit. Used in conjunction with a remote gas test point this provides the best solution for checking sensors in remote locations.

#### DX 100(M) Modbus Interface Module

Provides a multi drop Modbus RS485 interface for the Searchpoint Optima Plus and Searchline Excel infrared gas detection products. Reduces servicing and maintenance costs.




**Certified Junction Boxes** A full range of hazardous area certified junction boxes are available



**SHC-1 Protection Device** This device provides electrical protection for the HHI when used with conventional terminal housings under a gas free permit to work system.

## **Installation Options**





## A Complete Range of Fixed-Point Gas Detectors And Sensing Technologies



#### Honeywell Analytics Offers Enhanced Safety and Productivity for Industrial Applications

Look to Honeywell Analytics, the world-leading specialist in fire and gas detection and sensing technology, for a complete range of fixedpoint gas and flame detectors, controllers and accessories that provide the best assurance of protection from toxic and flammable gas threats. When you do business with us, you benefit from our comprehensive approach to safety — one that's also focused on increasing your company's productivity and performance, operational uptime and profitability.

#### XNX™ Universal Transmitter

Supports all Honeywell gas sensing technologies (point, open-path infrared, cat bead, electrochemical) and industrial communications (HART®, Modbus®, FOUNDATION® FieldBus). EDDL software from Honeywell Analytics makes it easy to manage gas detection data right from your PC. Real-time advanced diagnostics provide quick, easy visibility to devices in the field. It is also compatible with third-party DCS. Decades of experience and a commitment to innovation have ensured that each of our products is manufactured to the highest standards of quality and reliability. The result is total protection for people, property and processes—in the toughest conditions and the most extreme environments.

Honeywell

#### **Fire Sentry Fire and Flame Detectors**

Our Fire Sentry UV, UV/IR and Triple IR flame detectors are the leaders in electro-optical fire detection. They feature solid-state digital microprocessor electronics, multi-spectrum and multi-spectral WideBand IR<sup>™</sup> quantum sensors and FirePic<sup>™</sup> for postulating the cause of fire events.

# Continuing support to protect your business



#### **Technical Services**

Honeywell Analytics provides the best-quality gas detection equipment in the world so that businesses can get on with doing what they do best – running their business. Our objective is simply to take care of your safety requirements and to minimize any downtime gas safety issues. Using the best quality equipment is essential, but all equipment needs to be properly serviced and maintained. Honeywell Analytics Western Canadian partner MicroWatt LifeSafety Solutions delivers a wide range of service, support, and training to keep our cusotmers operations running safely.

#### **Preventive Maintenance**

Proper maintenance will maintain performance and enhance the bottom line. Honeywell Analytics offers a customized Preventive Maintenance Program, performed by skilled engineers, to keep equipment operating at peak performance.

#### **On-site Maintenance**


MicroWatt On-Site Services provide a dedicated on-call Engineer to eliminate the need to employ and train equipment support staff. Our team can respond immediately to inquiries and promptly resolve problems, minimizing downtime.

#### **Field Calibration**

All precision equipment must be regularly serviced, calibrated and maintained. MicroWatt Product Support offers full-service technical support for the full range of fixed and portable equipment, as well as training in the use and maintenance of our instruments.

#### **Field Service**

Our Field Service team is on call 24/7/365 to ensure site safety and that business performance is never compromised. We have a regional network of fully qualified and highly skilled engineers and technicians ready to meet any emergency need.





The MicroWatt Product Support Team excels at finding solutions to technical issues and ensuring that operational uptime is maximized.

#### FGS Safety LifeCycle Services

Our LifeCycle Safety Solutions group provides a complete range of safety and engineering services for our customers including LifeCycle methodology, fire and gas detection mapping, network design, project management, system install, commissioning/testing.

#### Commissioning

For extra reassurance, systems can be installed and commissioned (or simply tested) by MicroWatt Service Engineers certified by Honeywell Analytics. Our specialists wil check for correct installation, as well as provide any training that may be required.

#### Specialized Training

MicroWatt LifeSafety Solutions offers on-site training anywhere in Western Canada, which can be customized to meet the needs of your specific equipment, site application and attendees.



## LIFECYCLE SAFETY SOLUTIONS

MicroWatt LifeCycle Safety Solutions is a **vendor neutral**, technical arm of MicroWatt focusing on **Fire and Gas System (FGS) Safety Lifecycle development** for our clients in Western Canada and world-wide. Our world class **FGS experts in engineering and design, procurement and construction** support services can provide an **effective end-to-end solution** in any application including hydrocarbon production, power generation, minerals and metals, infrastructure and environment industrie

Contact us to learn more about enhancing your existing lifecycle or an end-to-end FGS solution: **1.888.388.1592** www.microwatt.com/lifecycle

## **Honeywell Analytics Lines of Business**





Single or multi-gas Lumidor and other

simple alarm only units to advanced,

premium detectors with compact,

lightweight designs ranging from

fully configurable and serviceable

» Applications: underground utility

### Commercial

Gas detection from standalone units to fully engineered, multi-point systems, all offering cost-effective regulatory compliance

» Applications: parking structures, chillers, mechanical rooms, office towers, commercial buildings, shopping centers, swimming pools, golf courses, schools and universities, laboratories

#### Industrial

Renowned Sieger and Manning gas detection systems with advanced electrochemical, infrared and open path sensing technologies

» Applications: oil and gas, cold storage, water/wastewater treatment, chemicals, engine rooms, plastics and fibers, agriculture, printing and light industrial



**High Tech/Government** 

detection instrumentation including

interference, to Chemcassette paper-

detection down to parts per billion

» Applications: semiconductor

Europe, Middle East, Africa

Life Safety Distribution AG

Tel: +41 (0)44.943.4300

Fax: +41 (0)44.943.4398

gasdetection@honeywell.com

Javastrasse 2

8604 Hegnau

Switzerland

based solutions (MDA Scientific) offering

A complete portfolio of gas and chemical

infrared spectroscopy (MST) with no cross

manufacturing and nanotechnology,

specialty chemicals industry, research

aerospace propulsion and safety,

laboratories, emergency response



#### Find out more

www.honeywellanalytics.com

#### **Contact Honeywell Analytics:**

#### Americas

Honeywell Analytics, Inc. 405 Barclay Blvd. Lincolnshire, IL 60069 USA Tel: 847.955.8200 Toll-free: 800.538.0363 Fax: 847.955.8210 detectgas@honeywell.com

#### **Technical Services**

ha.us.service@honeywell.com

www.honeywell.com

#### Please Note:

While every effort has been made to ensure accuracy in this publication, no responsibility can be accepted for errors or omissions. Data may change, as well as legislation, and you are strongly advised to obtain copies of the most recently issued regulations. standards, and guidelines. This publication is not intended to form the basis of a contract.

and electricity ducts, boiler rooms, post-fire sites, sewers, industrial plants, industrial hygiene, first responder teams, remote fleets

**Portables** 

instruments



## **Technical Services**

24/7 global network includes post-sales service and Systems Integration teams

- » Emergency call out, service contracts, on/off-site repair, training and commissioning
- » Complete range of spares, consumables and accessories

#### Asia Pacific

Honeywell Analytics, Asia Pacific #508, Kolon Science Valley (1) 187-10 Guro-Dong, Guro-Gu Seoul, 152-848 Korea Tel: +82 (2) 6909.0300 Fax: +82 (2) 2025.0329 analytics.ap@honeywell.com

